

A50

Jaylor mini mixers have proven themselves ideal for a wide range of applications, including feeding smaller dairies, specialty groups such as weaned calves, dry cows, maternity pens, fresh cows on larger dairy farms, as well as supplemental feeding of beef cows during calving. The A50 is now available as a hydraulically powered skid steer model. This model incorporates a large displacement hydraulic motor driven from the auxiliary outlets on your skid steer or loader.

Using our decades of experience building larger TMR mixers, we've engineered the same capabilities and durability into this smaller model. The Square-Cut auger is designed with the ability to incorporate long forage, including intact small square bales and sections of large bales into a true Total Mixed Ration (TMR).

For smaller skid steers optional wheels are recommended to assist with transporting the weight of a full mixer. A complete digital scale system, with features such as integrated recipe memory and alarm, is included for accurate weighing.

Square-Cut Auger
Durable fast cut serrated knives
Hydraulic door with remote control
Discharge chute for consistent unloading
Wear resistant, corrosion free polyethylene drum
Heavy duty, galvanized, corrosion resistant frame
Efficient hydraulic system with built-in protection
Simple, precise electronic scale system
Integrated battery and 120V charger



PECIFICATIONS

CAPACITY	50ft3 1.42m3
WEIGHT	1100lbs 500kg
HEIGHT	74in 1.87m
WIDTH	58in 1.47m
LENGTH	80in I 2.03m
FLAT KNIFE	13
ANGLING KNIFE	1
DRUM MATERIAL	Polyethylene
DRUM THICKNESS	0.43in 10.9mm
DOOR WIDTH	18in 45.7cm
DOOR HEIGHT	22in 55.9cm
DISCHARGE HEIGHT	12in 30.5cm
FRAME	Galvanized Steel
STANDARD MOTOR	630cc Hydraulic Motor
SCALE SYSTEM	DG STAD 02
CENTER OF GRAVITY	35" from mount face with
	1000lbs/ 454kg payload





JAY LOR BECAUSE NUTRITION MATTERS.

PHONE

Toll Free 800.809.8224 Phone 519.787.9353 Service 519.787.8058

ADDDESS

071213 10th Line East Garafraxa, Ontario L9W 6Z9, Canada

ELMA

Sales sales@jaylor.com Nutrition nutrition@jaylor.com Service service@jaylor.com

www.JAYLOR.com